

EQUIPMENT SPECIFICATIONS

Dry Containers



Dry Cargo 20' Steel

Available in All Services

EXTERIOR			INTERIOR			DOOR OPENING		CAPACITY	TARE WT.
LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	WIDTH*	HEIGHT		
19' 10.5"	8' 0"	8' 6"	19' 4"	7' 8.5"	7' 10"	7' 8.25"	7' 5.625"	1,171 cu. ft.	4,960 lb
6.06 m	2.43 m	2.59 m	5.89 m	2.35 m	2.38 m	2.34 m	2.27 m	33.1 cu. m	2,250 kg

*7' 8.25" = 62% of 20' dry cargo steel containers — 7' 8.06" (2.34 m) = 38% of the fleet's door opening width



Dry Cargo 40' Steel

Available in All Services

EXTERIOR			INTERIOR			DOOR OPENING		CAPACITY	TARE WT.
LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	WIDTH*	HEIGHT		
40' 0"	8' 0"	8' 6"	39' 5.688"	7' 8.5"	7' 10.25"	7' 8.25"	7' 5.625"	2,390 cu. ft.	8,200 lb
12.19 m	2.43 m	2.59 m	12.03 m	2.35 m	2.39 m	2.34 m	2.27 m	67.6 cu. m	3,720 kg

*7' 8.25" = 95% of 40' dry cargo steel containers — 7' 8.06" (2.34 m) = 5% of the fleet's door opening width



Dry Cargo High-Cube 40' Steel

Available in All Services

EXTERIOR			INTERIOR			DOOR OPENING		CAPACITY	TARE WT.
LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	WIDTH*	HEIGHT		
40' 0"	8' 0"	9' 6"	39' 5.688"	7' 8.50"	8' 10.188"	7' 8.0625"	8' 5.625"	2,693 cu. ft.	8,600 lb
12.19 m	2.43 m	2.89 m	12.03 m	2.35 m	2.69 m	2.34 m	2.58 m	76.3 cu. m	3,900 kg

*7' 8.0625" = 72% of 40' dry cargo high-cube steel containers — 7' 8.25" (2.34 m) = 28% of the fleet's door opening width



Dry Cargo High-Cube 45' Steel

Available in All Services

EXTERIOR			INTERIOR			DOOR OPENING		CAPACITY	TARE WT.
LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	WIDTH*	HEIGHT		
45' 0"	8' 0"	9' 6"	44' 5.688"	7' 8.50"	8' 10.313"	7' 8.25"	8' 5.9375"	3,038 cu. ft.	9,900 lb
13.71 m	2.43 m	2.89 m	13.56 m	2.35 m	2.70 m	2.34 m	2.59 m	86.0 cu. m	4,490 kg

*7' 8.25" = 50% of 45' dry cargo high-cube steel containers — 7' 8.0625" (2.34 m) = 50% of the fleet's door opening width

All equipment types are not available in all services, please contact customer service at 1-877-678-7447 or your Horizon Lines' sales representative for further information. All specifications are for Horizon Lines owned or long-term leased equipment. Dimensions of short-term leased equipment may differ slightly.

EQUIPMENT SPECIFICATIONS

Refrigerated Containers



Reffer High-Cube 40'

Controlled-atmosphere and humidity-controlled reefers available.

Available in All Services

EXTERIOR			INTERIOR			DOOR OPENING		CAPACITY*	TARE WT. **
LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	WIDTH	HEIGHT		
40' 0"	8' 0"	9' 6"	38' .1875"	7' 6.1875"	8' 3.125"	7' 6"	8' 2"	2,398 cu. ft.	10,890 lb
12.19 m	2.44 m	2.90 m	11.59 m	2.29 m	2.52 m	2.29 m	2.50 m	67.9 cu. m	4,940 kg

* Cargo weight cannot exceed legal road restrictions.

** Tare weight varies depending on reffer unit type & container manufacturer. Consideration should be given for Genset weight (see table below).



Reffer High-Cube 45'

Available in Puerto Rico Service Only

EXTERIOR			INTERIOR			DOOR OPENING		CAPACITY*	TARE WT. **
LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	WIDTH	HEIGHT		
45' 0"	8' 0"	9' 6"	43' 1.2"	7' 6.84"	8' 2.16"	7' 6"	8' 2.16"	2,662 cu. ft.	11,020 lb
13.72 m	2.44 m	2.90 m	13.14 m	2.31 m	2.49 m	2.29 m	2.49 m	75.4 cu. m	4,999 kg

* Cargo weight cannot exceed legal road restrictions.

** Tare weight varies depending on reffer unit type & container manufacturer. Consideration should be given for Genset weight (see table below).



Reffer High-Cube 20'

Available in Guam Service Only

EXTERIOR			INTERIOR			DOOR OPENING		CAPACITY*	TARE WT. **
LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	WIDTH	HEIGHT		
19' 10.5"	8' 0"	9' 6"	17' 10.9"	7' 6"	8' 5.5"	7' 6"	8' 5"	1,140 cu. ft.*	7,300 lb
6.058 m	2.438 m	2.896 m	5.456 m	2.294 m	2.578 m	2.290 m	2.569 m	32.3 cu. m	3,310 kg

* Cargo weight cannot exceed legal road restrictions.

** Tare weight varies depending on reffer unit type & container manufacturer. Consideration should be given for Genset weight (see table below).

Reffer Genset Tare Weight

For Reffer Containers Only

UNDERSLUNG GENSET 50-Gallon Tank		UNDERSLUNG GENSET 72-Gallon Tank		UNDERSLUNG GENSET 100-Gallon Tank	
WITHOUT FUEL	WITH FUEL	WITHOUT FUEL	WITH FUEL	WITHOUT FUEL	WITH FUEL
1,320 – 1,578 lb	1,670 – 1,928 lb	1,340 – 1,500 lb	1,845 – 2,005 lb	1,360 – 1,520 lb	2,040 – 2,298 lb
599 – 716 kg	757 – 875 kg	608 – 680 kg	837 – 909 kg	617 – 690 kg	926 – 1,043 kg

EQUIPMENT SPECIFICATIONS Specialized Equipment



Open-Top 40' Container

20' Open-Top Containers Available


EXTERIOR			INTERIOR			DOOR OPENING		CAPACITY	TARE WT.
LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	WIDTH	HEIGHT		
40' 0"	8' 0"	8' 6.5"	39' 6.8"	7' 8.25"	7' 5.25"	7' 6"	7' 7.125"	2,262 cu. ft.	8,270 lb
12.19 m	2.43 m	2.60 m	12.06 m	2.34 m	2.26 m	2.28 m	2.31 m	64.0 cu. m	3,750 kg



Heated Insulated 45'

EXTERIOR			INTERIOR			DOOR OPENING		CAPACITY	TARE WT.
LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	WIDTH	HEIGHT		
45' 0"	8' 0"	9' 6"	44' 1"	7' 6.859"	8' 5.453"	7' 6.156"	8' 3.406"	2,800 cu. ft.	11,200 lb
13.71 m	2.43 m	2.89 m	13.43 m	2.30 m	2.57 m	2.29 m	2.52 m	79.3 cu. m	5,080 kg

Notes: 1. Exact dimensions may differ slightly. 2. Comprised of both aluminum and steel construction.



Chassis

40/45' combo chassis available with built-in adaptability to accommodate either size container. Standard 20' and 40' chassis and 23.5' slider chassis are also available.



Garment-on-Hanger (GOH) System

Horizon Lines' GOH system consists of a series of specially designed garment racks installed in 20' containers, 40' standard or 40' high-cube containers. The GOH system is ideal for protecting hanging garments from wrinkling during shipment.

All equipment types are not available in all services, please contact customer service at 1-877-678-7447 or your Horizon Lines' sales representative for further information. All specifications are for Horizon Lines owned or long-term leased equipment. Dimensions of short-term leased equipment may differ slightly.

EQUIPMENT SPECIFICATIONS

Flat-Rack Equipment



40-Foot Standard

Available in All Services

LENGTH	EXTERIOR		LENGTH	INTERIOR		DOOR OPENING		CARGO CAPACITY	TARE WT.
	WIDTH	HEIGHT		WIDTH	HEIGHT	WIDTH	HEIGHT		
40' 0"	8' 0"	8' 6"	38' 11"	7' 10.4375"	6' 5.25"	6' 11.25"	6' 5.25"	1,972 cu. ft.	8,000 lb
12.19 m	2.43 m	2.59 m	11.86 m	2.39 m	1.96 m	2.11 m	1.9 m	55.1 cu. m	3,630 kg

Horizon Lines also offers platforms (Alaska Service only).



40-Foot Fixed Post

Available in Hawaii/Guam Service Only

LENGTH	EXTERIOR		LENGTH	INTERIOR		DOOR OPENING		CARGO CAPACITY	TARE WT.
	WIDTH	HEIGHT		WIDTH	HEIGHT	WIDTH	HEIGHT		
40' 0"	8' 0"	9' 6"	38' 6"	7' 10.5"	7' 5"	6' 5"	7' 5"	59,200 lb	8,000 lb
12.202 m	2.438 m	2.896 m	11.742 m	2.396 m	2.26 m	1.951 m	2.260 m	26,850 kg	3,630 kg



40-Foot Collapsible

Available in Hawaii/Guam Service Only

LENGTH	EXTERIOR		LENGTH	INTERIOR		DOOR OPENING		CARGO CAPACITY	TARE WT.
	WIDTH	HEIGHT		WIDTH	HEIGHT	WIDTH	HEIGHT		
40' 0"	8' 0"	9' 6"	38' 3"	7' 9"	7' 5"	6' 10"	7' 5"	78,040 lb	10,140 lb
12.202 m	2.438 m	2.896 m	11.647 m	2.364 m	2.26 m	2.088 m	2.260 m	40,000 kg	4,600 kg



45-Foot Collapsible

Available Hawaii/Guam Service Only

EXTERIOR LENGTH	INTERIOR		DOOR OPENING LENGTH	CARGO		CARGO CAPACITY	TARE WT.
	WIDTH	HEIGHT		WIDTH	HEIGHT		
45' 0"	8' 0"	9' 6"	43' 3"	7' 10"	7' 7"	75,080 lb	13,100 lb
13.726 m	2.438 m	2.896 m	13.171 m	2.378 m	2.306 m	34,050 kg	5,950 kg

All equipment types are not available in all services, please contact customer service at 1-877-678-7447 or your Horizon Lines' sales representative for further information. All specifications are for Horizon Lines owned or long-term leased equipment. Dimensions of short-term leased equipment may differ slightly.